

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.01.2015

Revision: 29.01.2015

Product identifie	er en
	TEK SYNTHETIC THINNER
<i>CAS Number:</i> 64742-88-7	
EINECS Numbe	r:
265-191-7	
<i>Index number:</i> 649-405-00-X	
Relevant identifi	ed uses of the substance or mixture and uses advised against
Application of th	te substance / the preparation Synthetic thinner.
	pplier of the safety data sheet
Manufacturer/S Betek Boya ve K	
G.O.S.B. Tembel	ova Alani 3200 Sokak No:3206
41400 Gebze/ Ko Tel: 00 90 262 6	
Fax: 00 90 262 0	
Further informa	tion obtainable from: R&D Department
Emergency telep	hone number: 00 90 262 678 30 00
Hazards ident	ification
Classification of	<mark>ification</mark> [°] the substance or mixture cording to Regulation (EC) No 1272/2008
Classification of Classification ac	the substance or mixture
Classification ac	the substance or mixture cording to Regulation (EC) No 1272/2008
Classification of Classification ac GHS0. Flam. Liq. 2 H2	the substance or mixture cording to Regulation (EC) No 1272/2008 2 flame
Classification of Classification ac GHS0. Flam. Liq. 2 H2	<i>The substance or mixture</i> <i>cording to Regulation (EC) No 1272/2008</i> 2 flame 25 Highly flammable liquid and vapour.
Classification of Classification ac GHS0. Flam. Liq. 2 H2	The substance or mixture cording to Regulation (EC) No 1272/2008 2 flame 25 Highly flammable liquid and vapour. 8 health hazard
Classification of Classification ac GHS0. Flam. Liq. 2 H2	The substance or mixture cording to Regulation (EC) No 1272/2008 2 flame 25 Highly flammable liquid and vapour. 8 health hazard 04 May be fatal if swallowed and enters airways.
Classification of Classification ac GHS0. Flam. Liq. 2 H2 GHS0. Asp. Tox. 1 H3	The substance or mixture cording to Regulation (EC) No 1272/2008 2 flame 25 Highly flammable liquid and vapour. 8 health hazard 04 May be fatal if swallowed and enters airways.
Classification of Classification ac GHS0. Flam. Liq. 2 H2 OF GHS0. Asp. Tox. 1 H3 OF GHS0 Acute Tox. 4 H3	The substance or mixture cording to Regulation (EC) No 1272/2008 2 flame 25 Highly flammable liquid and vapour. 8 health hazard 04 May be fatal if swallowed and enters airways.
Classification of Classification ac GHS0. Flam. Liq. 2 H2 OF GHS0. Asp. Tox. 1 H3 OF GHS0 Acute Tox. 4 H3	The substance or mixture cording to Regulation (EC) No 1272/2008 2 flame 25 Highly flammable liquid and vapour. 8 health hazard 04 May be fatal if swallowed and enters airways. 7 32 Harmful if inhaled. cording to Directive 67/548/EEC or Directive 1999/45/EC
Classification of Classification ac GHS0. Flam. Liq. 2 H2 GHS0. Asp. Tox. 1 H3 GHS0. Acute Tox. 4 H3 Classification ac Xn; Harmfi	The substance or mixture cording to Regulation (EC) No 1272/2008 2 flame 25 Highly flammable liquid and vapour. 8 health hazard 04 May be fatal if swallowed and enters airways. 7 32 Harmful if inhaled. cording to Directive 67/548/EEC or Directive 1999/45/EC
Classification of Classification ac GHS0. Flam. Liq. 2 H2 GHS0. Asp. Tox. 1 H3 Classification ac Xn; Harmfu R65: Harmful.	The substance or mixture cording to Regulation (EC) No 1272/2008 21 flame 22 flame 25 Highly flammable liquid and vapour. 8 health hazard 04 May be fatal if swallowed and enters airways. 7 32 Harmful if inhaled. cording to Directive 67/548/EEC or Directive 1999/45/EC Il may cause lung damage if swallowed.
Classification of Classification ac GHS0. Flam. Liq. 2 H2 GHS0. Asp. Tox. 1 H3 Classification ac Xn; Harmful R65: Harmful	The substance or mixture cording to Regulation (EC) No 1272/2008 21 flame 22 flame 25 Highly flammable liquid and vapour. 8 health hazard 04 May be fatal if swallowed and enters airways. 7 32 Harmful if inhaled. cording to Directive 67/548/EEC or Directive 1999/45/EC Il may cause lung damage if swallowed.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.01.2015

Revision: 29.01.2015

Trade name: BETEK SYNTHETIC THINNER

(Contd. of page 1) · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labelling: Solvent naphtha (petroleum), medium aliph. · Hazard statements H225 Highly flammable liquid and vapour. H332 Harmful if inhaled. H304 May be fatal if swallowed and enters airways. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. P241 *P301+P310* IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Other hazards · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 64742-88-7 Solvent naphtha (petroleum), medium aliph.

· Identification number(s)

- · EINECS Number: 265-191-7
- *Index number:* 649-405-00-X

· Dangerous components:

cosolvent

🗙 Xn R20/21/22; 🗙 Xi R36/38

(1) Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, *H*319

$\leq 2.5 \%$

4 First aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 29.01.2015

Revision: 29.01.2015

(Contd. of page 2)

Trade name: BETEK SYNTHETIC THINNER

• After swallowing: If symptoms persist consult doctor.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:
- *Keep ignition sources away Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.

• Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 29.01.2015

Trade name: BETEK SYNTHETIC THINNER

(Contd. of page 3)

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

Information on basic physical General Information	and chemical properties
Appearance: Form:	Fluid
Colour:	Clear
Odour:	Specific type
Change in condition Melting point/Melting range Boiling point/Boiling range:	
Flash point:	> 19°C
Ignition temperature:	265°C
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixture are possible.
Explosion limits:	
Lower:	0.6 Vol %
Upper:	6.5 Vol %
Vapour pressure at 20°C:	6.6 hPa
Density at 20°C:	0.786 g/cm ³
Solubility in / Miscibility with water at 20°C:	0.04 g/l

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 29.01.2015

Revision: 29.01.2015

Trade name: BETEK SYNTHETIC THINNER

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values relevant for classification:

64742-88-7 Solvent naphtha (petroleum), medium aliph.

 Oral
 LD50
 >6500 mg/kg (rat)

 Dermal
 LD50
 >3000 mg/kg (rab)

Inhalative LC50/4 h > 14 mg/l (rat)

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

12 Ecological information

- · Toxicity
- Acquatic toxicity: No further relevant information available.
- Additional ecological information:
- General notes: Generally not hazardous for water
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 29.01.2015

Revision: 29.01.2015

(Contd. of page 5)

Trade name: BETEK SYNTHETIC THINNER

14 Transport information · Land transport ADR/RID (cross-border) · ADR/RID class: 3 (F1) Flammable liquids. · Danger code (Kemler): 30 1993 · UN-Number: III • Packaging group: · Hazard label: 3 · UN proper shipping name: 1993 FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE), special provision 640E · Maritime transport IMDG: · IMDG Class: 3 1993 · UN Number: · Label 3 • Packaging group: III · EMS Number: F-E, S-E· Marine pollutant: No • Proper shipping name: FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE) · Air transport ICAO-TI and IATA-DGR: · ICAO/IATA Class: 3 1993 · UN/ID Number: 3 • Label III Packaging group: • Proper shipping name: FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE) · UN "Model Regulation": UN1993; FLAMMABLE LIQUID, N.O.S.; 3; III · Special precautions for user Warning: Flammable liquids.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

Class Share in %

NK 99.0

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.01.2015

Revision: 29.01.2015

Trade name: BETEK SYNTHETIC THINNER

(Contd. of page 6)

Other i	information
	ormation is based on our present knowledge. However, this shall not constitute a guarantee for any product features and shall not establish a legally valid contractual relationship.
Relevant	t phrases
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
ADR: Acco of Dangero RID: Règl Internation IMDG: Inter IATA: Inter	Irritating to eyes and skin. ations and acronyms: ord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriago bus Goods by Road) lement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the hal Transport of Dangerous Goods by Rail) ernational Maritime Code for Dangerous Goods rnational Air Transport Association L: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: Inte ICAO-TI: T	rnational Civil Aviation Organization Technical Instructions by the "International Civil Aviation Organization" (ICAO) bally Harmonized System of Classification and Labelling of Chemicals
EINECS: E CAS: Chen	European Inventory of Existing Commercial Chemical Substances nical Abstracts Service (division of the American Chemical Society) hal concentration, 50 percent
LCJU: Lein	hal dose, 50 percent